

COMMERCIAL SEATING



INTRODUCTION

SST is incorporated in Singapore since 2007 and it is principally involved in office chair and components manufacturing. As we tend to spend 1/3 of our life sitting, so chair and its design are important factors of life. We, at **SST** as chair manufacturer, emphasize the importance of functional and ergonomic designs for seating.

Our aim is making the office efficient and effective as a workplace requires a careful balance. The workplace must be a supportive location for meeting colleagues and performing work.



CLAS
pg1-pg3



MESH
pg4-pg9



LEATHER
pg10-pg13



EXECUTIVE
pg14-pg16



TASK
pg17-pg18



VARIOUS
pg19-pg22



PUBLIC
pg23-pg31



EDUCATIONAL
pg32-pg35




SOFA
pg36-pg40



CLAS

series





Timeless *Elegant*



CSI-0111

TW 590mm • SW 520mm
TH 1070-1180mm
SH 450-560mm • BW 660mm
SD 480mm • AH 225mm



CSI-0113

TW 590mm • SW 520mm
TH 910-1020mm
SH 450-560mm • BW 660mm
SD 480mm • AH 225mm



CSI-0114

TW 590mm • SW 520mm
TH 965mm
SH 505mm • BW 660mm
SD 480mm • AH 225mm



CSII-0111

TW 590mm • SW 520mm
TH 1070-1180mm
SH 450-560mm • BW 660mm
SD 480mm • AH 225mm



CSII-0113

TW 590mm • SW 520mm
TH 910-1020mm
SH 450-560mm • BW 660mm
SD 480mm • AH 225mm



CSII-0114

TW 590mm • SW 520mm
TH 965mm
SH 505mm • BW 660mm
SD 480mm • AH 225mm



CSII-0117-3

TW 1650mm • SW 550mm
SH 420mm • BW 680mm
SD 550mm



CSIII-0111

TW 590mm • SW 520mm
TH 1070-1180mm
SH 450-560mm • BW 660mm
SD 480mm • AH 225mm



CSIII-0113

TW 590mm • SW 520mm
TH 910-1020mm
SH 450-560mm • BW 660mm
SD 480mm • AH 225mm



CSIII-0114

TW 590mm • SW 520mm
TH 965mm
SH 505mm • BW 660mm
SD 480mm • AH 225mm



CSIII-0115-3

TW 1700mm • SW 520mm
TH 810mm
SH 420mm • BW 680mm
SD 480mm • AH 225mm

SPECIFICATIONS



Aluminium Chromed Frame




Aluminium Chromed Armrest



Torsion Bar Mechanism



Aluminium Full Polished Base



Expanded Options



CL2I-0111

TW 580mm • SW 520mm
TH 1020-1115mm
SH 405-500mm • BW 700mm
SD 470mm • AH 220mm



CL2I-0113

TW 580mm • SW 520mm
TH 845-940mm
SH 405-500mm • BW 700mm
SD 470mm • AH 220mm



CL2I-0114

TW 580mm • SW 520mm
TH 890mm
SH 470mm • BW 500mm
SD 470mm • AH 220mm



CL2II-0111

TW 580mm • SW 520mm
TH 1020-1115mm
SH 405-500mm • BW 700mm
SD 470mm • AH 220mm



CL2II-0113

TW 580mm • SW 520mm
TH 845-940mm
SH 405-500mm • BW 700mm
SD 470mm • AH 220mm



CL2II-0114

TW 580mm • SW 520mm
TH 890mm
SH 470mm • BW 500mm
SD 470mm • AH 220mm



CL2III-0111

TW 580mm • SW 520mm
TH 1020-1115mm
SH 405-500mm • BW 700mm
SD 470mm • AH 220mm



CL2III-0113

TW 580mm • SW 520mm
TH 845-940mm
SH 405-500mm • BW 700mm
SD 470mm • AH 220mm



CL2III-0114

TW 580mm • SW 520mm
TH 890mm
SH 470mm • BW 500mm
SD 470mm • AH 220mm



CL2III-0115-3

TW 1700mm • SW 520mm
TH 890mm
SH 450mm • BW 680mm
SD 470mm • AH 220mm

SPECIFICATIONS



Steel Chromed
Frame



Steel Chromed
Armrest



Torsion Bar Mechanism




Steel Chromed
Base

MESH

series





BAW-0121

TW 600mm • SW 500mm
TH 1050-1115mm
SH 470-535mm • BW 700mm
SD 440mm • AH 210mm
HRH 145mm



BAW-0123

TW 600mm • SW 500mm
TH 1050-1115mm
SH 470-535mm • BW 700mm
SD 440mm • AH 210mm



BAW-0124

TW 610mm • SW 500mm
TH 1075mm
SH 495mm • BW 650mm
SD 440mm • AH 220mm



SPECIFICATIONS



Fixed Lumbar Support



Polypropylene
Armrest




Pron-Synchronized
Mechanism



Steel Chromed
Base

MESH series

VIENTO



VIT-0121

TW 590mm • SW 500mm
TH 1100-1165mm
SH 520-585mm • BW 700mm
SD 460mm • AH 210mm
HRH 160-205mm



VIT-0123

TW 590mm • SW 500mm
TH 1100-1165mm
SH 520-585mm • BW 700mm
SD 460mm • AH 210mm



VIT-0124

TW 590mm • SW 500mm
TH 1070mm
SH 490mm • BW 570mm
SD 460mm • AH 220mm

SPECIFICATIONS



Adjustable Lumbar Support



Polypropylene Armrest



Synchronized Mechanism



Nylon Base

MECIANV



MEV-0121

TW 595mm • SW 480mm
TH 980-1045mm
SH 440-505mm • BW 700mm
SD 490mm • AH 180-250mm
HRH 140-220mm



MEV-0123

TW 595mm • SW 480mm
TH 980-1045mm
SH 440-505mm • BW 700mm
SD 490mm • AH 180-250mm



MEV-0124

TW 595mm • SW 480mm
TH 1050mm
SH 490mm • BW 570mm
SD 490mm • AH 180-250mm

SPECIFICATIONS



Adjustable Lumbar Support



Height Adjustable Armrest




Synchronized Mechanism



Aluminium Full Polished Base

MESH series

ZENTLEMAN



ZEM-0121

TW 600mm • SW 480mm
TH 980-1045mm
SH 450-515mm • BW 700mm
SD 480mm • AH 175-250mm
HRH 140-210mm



ZEM-0123

TW 600mm • SW 480mm
TH 980-1045mm
SH 450-515mm • BW 700mm
SD 480mm • AH 175-250mm



ZEM-0124

TW 600mm • SW 480mm
TH 1040mm
SH 490mm • BW 570mm
SD 480mm • AH 175-250mm

SPECIFICATIONS



Fixed Lumbar Support



Height Adjustable Armrest



Synchronized Mechanism



Nylon Base

MOSHI



MOS-0121

TW 560mm • SW 480mm
TH 970-1035mm
SH 450-515mm • BW 700mm
SD 480mm • AH 200mm
HRH 140-210mm



MOS-0123

TW 560mm • SW 480mm
TH 970-1035mm
SH 450-515mm • BW 700mm
SD 480mm • AH 200mm



MOS-0124

TW 560mm • SW 480mm
TH 1030mm
SH 490mm • BW 570mm
SD 480mm • AH 200mm

SPECIFICATIONS



Fixed Lumbar Support



Polypropylene Armrest




One Locking Synchronized Mechanism



Nylon Base

MESH series



PROMAX



PRX-0121



PRX-0123



PRX-0124



PRX-0121/0123

TW 620mm • SW 500mm • TH 1025-1090mm • SH 475-540mm • BW 700mm • SD 390mm • AH 220mm • HRH 155-195mm

PRX-0124

TW 580mm • SW 500mm • TH 970mm • SH 495mm • BW 640mm • SD 390mm • AH 220mm

WEBSTER II



WESII-0121



WESII-0123



WESII-0124



WESII-0121/0123

TW 640mm • SW 505mm • TH 1000-1065mm • SH 455-520mm • BW 700mm • SD 470mm • AH 180-240mm • HRH 190-250mm

WESII-0124

TW 640mm • SW 505mm • TH 1040mm • SH 470mm • BW 540mm • SD 470mm • AH 180-240mm

WEPRO



WEP-0121



WEP-0123



WEP-0124



WEP-0121/0123

TW 560mm • SW 510mm • TH 985-1050mm • SH 455-520mm • BW 660mm • SD 460mm • AH 160mm • HRH 160-240mm

WEP-0124

TW 650mm • SW 510mm • TH 1020mm • SH 495mm • BW 570mm • SD 460mm • AH 220mm

WET



WET-0121



WET-0123



WET-0124



WET-0121/0123


TW 625mm • SW 490mm • TH 955-1020mm • SH 450-515mm • BW 700mm • SD 460mm • AH 210mm • HRH 160-210mm

WET-0124

TW 580mm • SW 490mm • TH 975mm • SH 495mm • BW 620mm • SD 460mm • AH 210mm

MESH series

EVOLUTION



EVO-0121



EVO-0123



EVO-0124



EVO-0121/0123

TW 630mm • SW 480mm • TH 955-1055mm • SH 430-530mm • BW 660mm • SD 515mm • AH 200mm • HRH 195-215mm ■ SW 480mm • TH 1015mm • SH 490mm • BW 570mm • SD 515mm

EVO-0124

SPORT



SPR-0121



SPR-0123



SPR-0124



SPR-0121/0123

TW 590mm • SW 490mm • TH 950-1050mm • SH 475-575mm • BW 700mm • SD 470mm • AH 210mm • HRH 180mm ■ TW 590mm • SW 490mm • TH 990mm • SH 470mm • BW 540mm • SD 470mm • AH 210mm

SPR-0124

TASK



GOTSK-0920

TW 630mm • SW 480mm
TH 1025-1125mm
SH 470-570mm • BW 700mm
SD 460mm • AH 170mm



GOTSK-0820

TW 600mm • SW 500mm
TH 990-1090mm
SH 460-560mm • BW 660mm
SD 480mm • AH 190mm



GOTSK-0824

SW 435mm
TH 770mm
SH 450mm • BW 530mm
SD 480mm



GOTSK-0720

TW 610mm • SW 510mm
TH 1150-1250mm
SH 420-520mm • BW 660mm
SD 480mm • AH 160mm



GOTSK-0120

TW 600mm • SW 490mm
TH 1915-1015mm
SH 440-540mm • BW 660mm
SD 470mm • AH 190mm



GOTSK-0124

TW 540mm • SW 480mm
TH 790mm
SH 470mm • BW 550mm
SD 460mm • AH 220mm

MESH



MESH-A03-0121

TW 610mm • SW 480mm
TH 870-970mm
SH 420-520mm • BW 640mm
SD 430mm • AH 170mm
HRH 240-280mm



MESH-A06

TW 630mm • SW 480mm
TH 880-980mm
SH 430-530mm • BW 660mm
SD 470mm • AH 180mm



MESH-A06-0124

TW 550mm • SW 480mm
TH 920mm
SH 470mm • BW 570mm
SD 470mm • AH 180mm



DIV-0123 (B2)

TW 585mm • SW 470mm
TH 890-990mm
SH 420-520mm • BW 660mm
SD 390mm • AH 210mm



MESH-A03

TW 600mm • SW 470mm
TH 855-955mm
SH 420-520mm • BW 660mm
SD 410mm • AH 170mm




MESH-A02

TW 560mm • SW 470mm
TH 890-1010mm
SH 430-550mm • BW 660mm
SD 400mm • AH 190mm

LEATHER

series





LEGEND



LGD-0121

TW 590mm • SW 500mm
TH 1210-1275mm
SH 510-575mm • BW 660mm
SD 460mm • AH 210mm



LGD-0123

TW 590mm • SW 500mm
TH 1000-1065mm
SH 510-575mm • BW 660mm
SD 460mm • AH 210mm



LGD-0124

TW 590mm • SW 500mm
TH 980mm
SH 490mm • BW 570mm
SD 460mm • AH 210mm

In Legend - Style, effect, comfort. A line of chairs, which combines the unique form, a little bit of luxury and, last but not least, ergonomics. Created for those who appreciate style and elegants.



PROFESSION



PRO-0121

TW 590mm • SW 500mm
TH 1210-1275mm
SH 470-535mm • BW 660mm
SD 460mm • AH 210mm



PRO-0123

TW 590mm • SW 500mm
TH 1030-1095mm
SH 470-535mm • BW 660mm
SD 460mm • AH 210mm



PRO-0124

TW 590mm • SW 500mm
TH 980mm
SH 490mm • BW 570mm
SD 460mm • AH 210mm

The emphasis is no longer on mechanics and sophisticated technologies; the office chair today plays the role of furniture item dedicated to the well-being of the individual.



ZEN6



ZEN6-0121

TW 630mm • SW 520mm
TH 1230-1295mm
SH 470-535mm • BW 660mm
SD 460-510mm • AH 190mm



ZEN6-0123

TW 630mm • SW 520mm
TH 1030-1095mm
SH 470-535mm • BW 660mm
SD 460-510mm • AH 190mm



ZEN6-0124

TW 630mm • SW 520mm
TH 1050mm
SH 490mm • BW 570mm
SD 460mm • AH 190mm

Easy handling, comfort, high quality cushioning and upholstery, intuitive regulation and adaptability to the posture of the user. A concrete example of a chair with a human dimension.



CHESTER



CHE-0121

TW 700mm • SW 540mm
TH 1150-1215mm
SH 450-515mm • BW 700mm
SD 480mm • AH 210mm



CHE-0123

TW 700mm • SW 540mm
TH 940-1005mm
SH 450-515mm • BW 700mm
SD 480mm • AH 210mm




CHE-0124

TW 700mm • SW 540mm
TH 970mm
SH 480mm • BW 700mm
SD 480mm • AH 210mm

A classic, full of elegance. A warm sensation runs throughout the body when sitting in a Chester chair. The perfect union between features and movement technology, durability and discreet design. The great difference lies in the exquisitely crafted leather upholstery, offering a traditional air.





ZEN4



ZEN4-0121

TW 620mm • SW 520mm
TH 1210-1275mm
SH 520-585mm • BW 660mm
SD 500mm • AH 180mm



ZEN4-0123

TW 620mm • SW 520mm
TH 970-1035mm
SH 520-585mm • BW 660mm
SD 500mm • AH 180mm



ZEN4-0124

TW 620mm • SW 520mm
TH 940mm
SH 490mm • BW 570mm
SD 500mm • AH 180mm

Minimalist in its conception. Sleek lines provide its shape. Completely free from noise. ZEN4 is the combination of state-of-the-art movement technology and the latest generation materials used for seating surfaces.



ZEN2



ZEN2-0121

TW 630mm • SW 510mm
TH 1190-1255mm
SH 470-525mm • BW 660mm
SD 480mm • AH 160-230mm



ZEN2-0123

TW 630mm • SW 510mm
TH 990-1055mm
SH 470-525mm • BW 660mm
SD 480mm • AH 160-230mm



ZEN2-0124

TW 630mm • SW 510mm
TH 1000mm
SH 480mm • BW 570mm
SD 480mm • AH 160-230mm

Good taste and an awareness of top quality go together. This is also true for the working environment. The ZEN2 collection presents these values in a harmonious and extremely stylish form.



GOLEA-0521

TW 650mm • SW 540mm
TH 1135-1200mm
SH 440-505mm • BW 700mm
SD 510mm • AH 210mm



GOLEA-0523

TW 650mm • SW 540mm
TH 975-1040mm
SH 440-505mm • BW 700mm
SD 510mm • AH 210mm



GOLEA-0524

TW 650mm • SW 540mm
TH 1065mm
SH 510mm • BW 540mm
SD 510mm • AH 210mm

With its harmonic design, It is a real attention-getter. Its versatility makes it indispensable. This is provided by intelligent technology and a good deal of workmanship; all coordinated with clock-work precision.



GOLEA-0911

TW 600mm • SW 530mm
TH 1170-1235mm
SH 510-575mm • BW 660mm
SD 450mm • AH 210mm



GOLEA-0913

TW 600mm • SW 530mm
TH 970-1035mm
SH 510-575mm • BW 660mm
SD 450mm • AH 210mm




GOLEA-0914

TW 600mm • SW 530mm
TH 980mm
SH 490mm • BW 540mm
SD 450mm • AH 210mm

The modern workplace is expected to express a great deal; design quality and warmth, energy, efficiency and cosiness. Silent rush offers impressive ergonomics and a design that really makes you feel at home.





GOLEA-0811

TW 640mm • SW 540mm
TH 1150-1215mm
SH 520-585mm • BW 700mm
SD 500mm • AH 180mm



GOLEA-0813

TW 640mm • SW 540mm
TH 1010-1075mm
SH 520-585mm • BW 700mm
SD 500mm • AH 180mm



GOLEA-0814

TW 640mm • SW 540mm
TH 1000mm
SH 510mm • BW 540mm
SD 500mm • AH 180mm

Indispensable for modern offices. Available high and low backrest options. Visitors seats are designed to provide equivalent seating pleasure as the host.



GOLEA-0611

TW 640mm • SW 540mm
TH 1170-1235mm
SH 500-565mm • BW 700mm
SD 500mm • AH 230mm



GOLEA-0613

TW 640mm • SW 540mm
TH 970-1035mm
SH 500-565mm • BW 700mm
SD 500mm • AH 230mm



GOLEA-0614

TW 640mm • SW 540mm
TH 970mm
SH 500mm • BW 540mm
SD 500mm • AH 230mm

The success of a company depends on decisions made in the upper echelons of management. By setting the right tone, with its design reflecting the dynamism and cool-headedness that dominate in those places.



GOLEA-0511

TW 660mm • SW 530mm
TH 1170-1235mm
SH 510-575mm • BW 700mm
SD 520mm • AH 210mm



GOLEA-0513

TW 660mm • SW 530mm
TH 970-1035mm
SH 510-575mm • BW 700mm
SD 520mm • AH 210mm



GOLEA-0514

TW 660mm • SW 530mm
TH 970mm
SH 510mm • BW 540mm
SD 520mm • AH 210mm

Power symbol of VIP group available highback and visitor options. Ensures satisfaction with its organic lines.



GOLEA-0411

TW 640mm • SW 520mm
TH 1170-1235mm
SH 490-555mm • BW 700mm
SD 530mm • AH 210mm



GOLEA-0413

TW 640mm • SW 520mm
TH 970-1035mm
SH 490-555mm • BW 700mm
SD 530mm • AH 210mm



GOLEA-0414

TW 640mm • SW 520mm
TH 970mm
SH 510mm • BW 540mm
SD 530mm • AH 210mm


Provides high comfort becoming a traditional seating program for executive environment. It is manufactured using top quality materials and ergonomic standards.



EXECUTIVE

series





DYNAMISM



DYM-0121

TW 590mm • SW 500mm
TH 1210-1275mm
SH 470-535mm • BW 700mm
SD 460mm • AH 210mm



DYM-0123

TW 590mm • SW 500mm
TH 1030-1095mm
SH 470-535mm • BW 700mm
SD 460mm • AH 210mm



DYM-0124

TW 590mm • SW 500mm
TH 980mm
SH 490mm • BW 570mm
SD 460mm • AH 210mm



IMP-0121

TW 610mm • SW 480mm
TH 1240-1305mm
SH 455-520mm • BW 660mm
SD 480-530mm • AH 200-270mm



IMP-0123

TW 610mm • SW 480mm
TH 940-1005mm
SH 455-520mm • BW 660mm
SD 480-530mm • AH 200-270mm



IMP-0124

TW 570mm • SW 480mm
TH 940mm
SH 495mm • BW 570mm
SD 480mm • AH 200mm

LUXE



LUX-0121

TW 710mm • SW 520mm
TH 990-1060mm
SH 415-480mm • BW 660mm
SD 495-545mm • AH 200-270mm
HRH 160-210mm



LUX-0123

TW 710mm • SW 520mm
TH 990-1060mm
SH 415-480mm • BW 660mm
SD 495-545mm • AH 200-270mm



LUX-0124

TW 580mm • SW 520mm
TH 845mm
SH 420mm • BW 570mm
SD 495mm • AH 200mm



CRM-0121

TW 630mm • SW 480mm
TH 1055-1120mm
SH 420-485mm • BW 660mm
SD 430mm • AH 200-270mm



CRM-0123

TW 630mm • SW 480mm
TH 990-1055mm
SH 420-485mm • BW 660mm
SD 430mm • AH 200-270mm



CRM-0124

TW 630mm • SW 480mm
TH 1040mm
SH 470mm • BW 570mm
SD 460mm • AH 200-270mm



GOEXE-0521

TW 570mm • SW 510mm
TH 1195-1295mm
SH 440-540mm • BW 660mm
SD 430mm • AH 200mm



GOEXE-0523

TW 570mm • SW 510mm
TH 1015-1115mm
SH 440-540mm • BW 660mm
SD 430mm • AH 200mm



GOEXE-0524

TW 570mm • SW 510mm
TH 985mm
SH 480mm • BW 570mm
SD 430mm • AH 200mm



GOEXE-0421

TW 600mm • SW 470mm
TH 1035-1135mm
SH 420-520mm • BW 660mm
SD 460mm • AH 190mm



GOEXE-0423

TW 600mm • SW 470mm
TH 1005-1105mm
SH 420-520mm • BW 660mm
SD 460mm • AH 190mm



GOEXE-0424

TW 600mm • SW 470mm
TH 1040mm
SH 470mm • BW 570mm
SD 460mm • AH 190mm



GOEXE-0321

TW 610mm • SW 510mm
TH 1095-1195mm
SH 430-530mm • BW 660mm
SD 430mm • AH 225mm



GOEXE-0323

TW 610mm • SW 510mm
TH 915-1015mm
SH 430-530mm • BW 660mm
SD 430mm • AH 225mm



GOEXE-0324

TW 610mm • SW 510mm
TH 975mm
SH 470mm • BW 570mm
SD 430mm • AH 225mm



GOEXE-0221

TW 570mm • SW 470mm
TH 1120-1220mm
SH 440-540mm • BW 660mm
SD 440mm • AH 170mm




GOEXE-0223

TW 570mm • SW 470mm
TH 940-1040mm
SH 440-540mm • BW 660mm
SD 440mm • AH 170mm



GOEXE-0224

TW 570mm • SW 470mm
TH 1000mm
SH 480mm • BW 570mm
SD 440mm • AH 170mm



GOEXE-0811

TW 700mm • SW 530mm
TH 1150-1215mm
SH 500-565mm • BW 700mm
SD 480mm • AH 190mm



GOEXE-0813

TW 700mm • SW 530mm
TH 1000-1065mm
SH 500-565mm • BW 700mm
SD 480mm • AH 190mm



GOEXE-0814

TW 700mm • SW 530mm
TH 1000mm
SH 500mm • BW 540mm
SD 480mm • AH 190mm



GOEXE-0711

TW 630mm • SW 540mm
TH 1150-1250mm
SH 450-550mm • BW 660mm
SD 490mm • AH 210mm



GOEXE-0713

TW 630mm • SW 540mm
TH 950-1050mm
SH 450-550mm • BW 660mm
SD 490mm • AH 210mm



GOEXE-0714

TW 630mm • SW 540mm
TH 970mm
SH 480mm • BW 540mm
SD 490mm • AH 210mm



GOEXE-0611

TW 650mm • SW 525mm
TH 1170-1235mm
SH 480-545mm • BW 660mm
SD 430mm • AH 190mm



GOEXE-0613

TW 650mm • SW 525mm
TH 910-975mm
SH 480-545mm • BW 660mm
SD 430mm • AH 190mm



GOEXE-0614

TW 650mm • SW 525mm
TH 925mm
SH 490mm • BW 540mm
SD 430mm • AH 190mm



GOEXE-0511

TW 620mm • SW 510mm
TH 1170-1270mm
SH 450-550mm • BW 660mm
SD 500mm • AH 180mm



GOEXE-0513

TW 620mm • SW 510mm
TH 970-1070mm
SH 450-550mm • BW 660mm
SD 500mm • AH 180mm



GOEXE-0514

TW 620mm • SW 510mm
TH 960mm
SH 450-550mm • BW 540mm
SD 500mm • AH 180mm



GOEXE-0411

TW 690mm • SW 540mm
TH 1130-1230mm
SH 470-570mm • BW 660mm
SD 510mm • AH 170mm



GOEXE-0413

TW 690mm • SW 540mm
TH 960-1060mm
SH 470-570mm • BW 660mm
SD 510mm • AH 170mm



GOEXE-0414

TW 690mm • SW 540mm
TH 980mm
SH 500mm • BW 570mm
SD 510mm • AH 170mm



GOEXE-0311

TW 670mm • SW 550mm
TH 1100-1200mm
SH 470-570mm • BW 660mm
SD 510mm • AH 150mm



GOEXE-0313

TW 670mm • SW 550mm
TH 890-990mm
SH 470-570mm • BW 660mm
SD 510mm • AH 150mm



GOEXE-0314

TW 670mm • SW 550mm
TH 940mm
SH 500mm • BW 540mm
SD 510mm • AH 150mm



GOEXE-0211

TW 640mm • SW 560mm
TH 1080-1180mm
SH 420-520mm • BW 660mm
SD 520mm • AH 190mm



GOEXE-0213

TW 640mm • SW 560mm
TH 880-980mm
SH 420-520mm • BW 660mm
SD 520mm • AH 190mm



GOEXE-0214

TW 640mm • SW 560mm
TH 930mm
SH 470mm • BW 540mm
SD 520mm • AH 190mm



GOEXE-0111

TW 650mm • SW 540mm
TH 1100-1200mm
SH 450-550mm • BW 660mm
SD 490mm • AH 185mm



GOEXE-0113

TW 650mm • SW 540mm
TH 870-970mm
SH 450-550mm • BW 660mm
SD 490mm • AH 185mm




GOEXE-0114

TW 650mm • SW 540mm
TH 930mm
SH 480mm • BW 540mm
SD 490mm • AH 185mm

TASK

series





TASK



GOTSK-1220

TW 580mm • SW 510mm
TH 935-985mm
SH 470-520mm • BW 640mm
SD 450mm • AH 200mm



GOTSK-1120

TW 640mm • SW 460mm
TH 910-975mm
SH 420-485mm • BW 700mm
SD 420mm • AH 210mm



GOTSK-1020

TW 615mm • SW 440mm
TH 960-1060mm
SH 460-560mm • BW 660mm
SD 460mm • AH 190mm



GOTSK-0520

TW 700mm • SW 520mm
TH 1025-1125mm
SH 430-530mm • BW 700mm
SD 440mm • AH 190-260mm

TASK



GOTSK-0320

TW 570mm • SW 470mm
TH 875-975mm
SH 420-520mm • BW 660mm
SD 450mm • AH 190mm



GOTSK-0220

TW 610mm • SW 510mm
TH 1000-1100mm
SH 430-530mm • BW 660mm
SD 430mm • AH 225mm



GODRA-0125

SW 450mm
TH 950-1210mm
SH 595-855mm • BW 660mm
SD 420mm



GODRA-0225

SW 450mm
TH 950-1210mm
SH 595-855mm • BW 660mm
SD 420mm

TYPIST



GOTYP-1020

TW 580mm • SW 480mm
TH 1000-1100mm
SH 470-570mm • BW 660mm
SD 490mm • AH 190mm



GOTYP-0820

TW 610mm • SW 480mm
TH 1050-1150mm
SH 505-605mm • BW 660mm
SD 470-510mm • AH 180-260mm



GOTYP-0620

TW 590mm • SW 470mm
TH 945-1065mm
SH 445-565mm • BW 660mm
SD 380mm • AH 170mm



GOTYP-0520

TW 570mm • SW 460mm
TH 870-990mm
SH 450-570mm • BW 560mm
SD 400mm • AH 170mm



GOTYP-0420

TW 570mm • SW 460mm
TH 870-990mm
SH 450-570mm • BW 560mm
SD 400mm • AH 170mm



GOTYP-0320

TW 570mm • SW 460mm
TH 870-990mm
SH 450-570mm • BW 560mm
SD 400mm • AH 170mm



GOTYP-0220

TW 545mm • SW 450mm
TH 780-900mm
SH 420-540mm • BW 560mm
SD 410mm • AH 180mm



GOTYP-0120


SW 450mm
TH 775-875mm
SH 465-565mm • BW 560mm
SD 410mm

VARIOUS

series



VISITOR



GOVSI-0215

TW 570mm • SW 490mm
TH 830mm
SH 480mm • BW 570mm
SD 430mm • AH 230mm



GOVSI-0115

TW 570mm • SW 490mm
TH 830mm
SH 480mm • BW 570mm
SD 430mm



GOVSI-0625

TW 485mm • SW 460mm
TH 760mm
SH 485mm • BW 515mm
SD 515mm • AH 160mm



GOVSI-0425

TW 485mm • SW 460mm
TH 760mm
SH 485mm • BW 515mm
SD 515mm



GOVSI-0225

TW 520mm • SW 450mm
TH 855mm
SH 460mm • BW 540mm
SD 430mm



GOVSI-0125

TW 540mm • SW 450mm
TH 855mm
SH 460mm • BW 540mm
SD 430mm • AH 170mm

BANQUET



GOBNQ-2025

SW 490mm
TH 870mm
SH 450mm • BW 520mm
SD 520mm



GOBNQ-1925

TW 400mm • SW 380mm
TH 970mm
SH 600mm • BW 500mm
SD 320mm • AH 190mm



GOBNQ-1825

TW 550mm
TH 1920mm
BW 1010mm



GOBNQ-1725

TW 435mm • SW 410mm
TH 935mm
SH 460mm • BW 490mm
SD 450mm



GOBNQ-0225

TW 435mm • SW 410mm
TH 960mm
SH 460mm • BW 490mm
SD 450mm



GOBNQ-0125

TW 435mm • SW 410mm
TH 935mm
SH 460mm • BW 490mm
SD 450mm

DE WOOD



GODEW-0525

TW 540mm • SW 490mm
TH 800mm
SH 470mm • BW 570mm
SD 450mm • AH 170mm



GODEW-0425

SW 460mm
TH 1060mm
SH 450mm • BW 590mm
SD 450mm



GODEW-0325

SW 460mm
TH 1060mm
SH 450mm • BW 590mm
SD 450mm



GODEW-0225

TW 540mm • SW 470mm
TH 820mm
SH 450mm • BW 470mm
SD 500mm • AH 180mm



GODEW-0125

SW 385mm
TH 885mm
SH 460mm • BW 500mm
SD 420mm



GODEW-0115

SW 385mm
TH 885mm
SH 460mm • BW 500mm
SD 420mm

DE STEEL



GOSTE-0625

SW 460mm
TH 1060mm
SH 450mm • BW 590mm
SD 450mm



GOSTE-0525

SW 500mm
TH 795mm
SH 450mm • BW 545mm
SD 450mm



GOSTE-0425

SW 470mm
TH 795mm
SH 490mm • BW 500mm
SD 420mm



GOSTE-0325

SW 460mm
TH 840mm
SH 440mm • BW 530mm
SD 450mm



GOSTE-0225

SW 385mm
TH 885mm
SH 460mm • BW 500mm
SD 420mm




GOSTE-0125

TW 500mm • SW 400mm
TH 710mm
SH 420mm • BW 500mm
SD 410mm • AH 200mm

VARIOUS series

DE PLAS



GOPLA-1815

TW 570mm • SW 470mm
TH 790mm
SH 490mm • BW 500mm
SD 470mm



GOPLA-1715

TW 520mm • SW 450mm
TH 790mm
SH 490mm • BW 440mm
SD 460mm



GOPLA-1615

SW 410mm
TH 855mm
SH 470mm • BW 470mm
SD 500mm



GOPLA-1515

TW 420mm • SW 375mm
TH 810mm
SH 440mm • BW 470mm
SD 410mm



GOPLA-1415

TW 560mm • SW 440mm
TH 750mm
SH 460mm • BW 510mm
SD 430mm



GOPLA-1315

TW 570mm • SW 530mm
TH 750mm
SH 460mm • BW 540mm
SD 460mm • AH 180mm



GOPLA-1215

SW 530mm
TH 750mm
SH 460mm • BW 540mm
SD 460mm



GOPLA-1115

SW 440mm
TH 880mm
SH 480mm • BW 550mm
SD 430mm



GOPLA-1015

SW 410mm
TH 820mm
SH 460mm • BW 480mm
SD 430mm



GOPLA-0915

TW 520mm • SW 480mm
TH 820mm
SH 440mm • BW 450mm
SD 390mm



GOPLA-0815

TW 550mm • SW 440mm
TH 770mm
SH 420mm • BW 540mm
SD 460mm • AH 200mm



GOPLA-0715

TW 595mm • SW 500mm
TH 820mm
SH 455mm • BW 595mm
SD 510mm • AH 180mm



GOPLA-0615

TW 555mm • SW 440mm
TH 890mm
SH 455mm • BW 560mm
SD 480mm • AH 180mm



GOPLA-0515

SW 430mm
TH 885mm
SH 455mm • BW 475mm
SD 400mm



GOPLA-0415

SW 450mm
TH 840mm
SH 420mm • BW 430mm
SD 380mm



GOPLA-0315

SW 460mm
TH 790mm
SH 420mm • BW 480mm
SD 410mm



GOPLA-0215

TW 590mm • SW 420mm
TH 830mm
SH 420mm • BW 520mm
SD 440mm • AH 200mm



GOPLA-0115

SW 420mm
TH 800mm
SH 420mm • BW 500mm
SD 410mm

MEDICARE



GOMED-0325

TW 710mm • SW 650mm
TH 830-1100mm
SH 460mm • BW 1100mm
SD 1130-1630mm • AH 200mm



GOMED-0225

TW 620mm • SW 560mm
TH 460-940mm
SH 460mm • BW 800mm
SD 460-1900mm



GOMED-0125

TW 520mm • SW 470mm
TH 900mm
SH 510mm • BW 1050mm
SD 440mm




GOMED-0115

TW 530mm • SW 500mm
TH 860mm
SH 480mm • BW 630mm
SD 430mm

VARIOUS series

LAB



GOLAB-0225

SW 450mm
TH 950-1210mm
SH 595-855mm • BW 700mm
SD 420mm



GOLAB-0125

SW 450mm
TH 870-990mm
SH 450-570mm • BW 700mm
SD 420mm



GOLAB-0415

SW 460mm
TH 820-1020mm
SH 450-550mm • BW 640mm
SD 450mm



GOLAB-0315

TW 400mm • SW 350mm
TH 760mm
SH 660-760mm • BW 400mm
SD 285mm



GOLAB-0215

SW 480mm
SH 660-760mm
BW 480mm



GOLAB-0115

SW 370mm
SH 560mm
BW 370mm

BAR



GOBAR-2415

SW 460mm
TH 1090mm
SH 765mm • BW 560mm
SD 440mm



GOBAR-2315

SW 460mm
TH 1075mm
SH 750mm • BW 560mm
SD 440mm



GOBAR-2215

SW 390mm
TH 995mm
SH 755mm • BW 400mm
SD 410mm



GOBAR-2115

SW 390mm
TH 660-870mm
SH 580-790mm • BW 430mm
SD 410mm



GOBAR-2015

SW 440mm
TH 650-870mm
SH 550-770mm • BW 400mm
SD 380mm



GOBAR-1915

SW 460mm
SH 470mm
BW 400mm



GOBAR-1815

TW 470mm • SW 450mm
TH 1090mm
SH 770mm • BW 480mm
SD 460mm



GOBAR-1715

SW 465mm
TH 1100mm
SH 765mm • BW 480mm
SD 410mm



GOBAR-1615

SW 440mm
TH 400mm
TH 925mm
SH 750mm • BW 410mm
SD 390mm



GOBAR-1515

SW 400mm
SH 685mm • BW 450mm



GOBAR-1415

SW 300mm
SH 685mm • BW 500mm



GOBAR-1315

SW 305mm
SH 375-495mm
BW 560mm



GOBAR-0515

TW 485mm • SW 460mm
TH 985mm
SH 770mm • BW 500mm
SD 530mm



GOBAR-0415

SW 390mm • TH 985mm
SH 770mm • BW 500mm
SD 430mm



GOBAR-0115

SW 330mm
SH 735mm • BW 390mm



GOBAR-0215

SW 330mm
TH 920mm
SH 735mm • BW 390mm



GOBAR-0915

TW 440mm • SW 400mm
TH 980mm
SH 790mm • BW 440mm
SD 360mm




GOBAR-0815

SW 305mm
SH 790mm • BW 440mm




PUBLIC

series




GOAIR-0315

SW 520mm
TH 770mm
SH 360mm • BW 560mm
SD 470mm • AH 200mm




GOAIR-0215

SW 500mm
TH 770mm
SH 375mm • BW 570mm
SD 470mm • AH 210mm



GOAIR-0115

SW 480mm
SH 390mm • BW 570mm
SD 490mm



PROJECTS REFERENCE




UMW Toyota Service Centre




BP Diagnostic Centre

AUDITORIUM




GOADI-0325

SW 570mm
TH 1000mm
SH 450mm
SD 500mm • AH 150mm
Tablet L270 x W240 x H15mm




GOADI-0225

SW 520mm
TH 900mm
SH 450mm
SD 470mm • AH 200mm
Tablet L270 x W270 x H15mm




GOADI-0125

SW 575mm
TH 1010mm
SH 460mm
SD 465mm • AH 150mm
Tablet L290 x W275 x H20mm





HALL REFERENCE






GOSTA-0125

SW 500mm
TH 830mm
SH 450mm
SD 600mm - AH 150mm




GOSTA-0215


SW 420mm
TH 360mm
SH 70mm
SD 490mm



GOSTA-0115

SW 410mm
TH 150mm
SH 100mm
SD 350mm





GOLIN-0425-3

TW 1610mm • SW 560mm
TH 810mm
SH 485mm • BW 530mm
SD 450mm



GOLIN-0325-3

TW 1580mm • SW 420mm
TH 780mm
SH 450mm • BW 500mm
SD 445mm



GOLIN-0225-3

TW 1580mm • SW 460mm
TH 790mm
SH 460mm • BW 500mm
SD 445mm



GOLIN-0515-3

TW 1530mm • SW 450mm
TH 790mm
SH 495mm • BW 530mm
SD 450mm



GOLIN-0415-3

TW 1670mm • SW 405mm
TH 790mm
SH 450mm • BW 500mm
SD 410mm



GOLIN-0115-3

TW 1580mm • SW 430mm
TH 835mm
SH 460mm • BW 500mm
SD 400mm



GOLIN-0315-3F

TW 1580mm • SW 450mm
TH 855mm
SH 460mm • BW 500mm
SD 430mm



GOLIN-6125-3F

TW 1580mm • SW 480mm
TH 835mm
SH 450mm • BW 500mm
SD 450mm



GOLIN-0125-3F

TW 1580mm • SW 430mm
TH 825mm
SH 470mm • BW 500mm
SD 450mm

FIBERGLASS



GOFRG-0315-4

TW 2900mm
TH 420mm
BW 430mm



GOFRG-0215


TW 760mm
TH 740mm
BW 650mm



GOFRG-0115

TW 560mm
TH 470mm
BW 564mm

CANTEEN



GOCAN-1015-4

TW 1700mm • SW 385mm
TH 830mm
SH 450mm • BW 1000mm
SD 420mm • TD 1070mm
Table L1200 x W600 x H750mm



GOCAN-0915-4

TW 1600mm
SH 425mm • BW 1000mm
SD 310mm • TD 1025mm
Table L1200 x W600 x H750mm



GOCAN-0815-4

TW 1680mm • SW 480mm
TH 780mm
SH 450mm • BW 1000mm
SD 440mm • TD 1020mm
Table L1200 x W600 x H750mm



GOCAN-0715-6

TW 1600mm
SH 425mm • BW 1000mm
SD 310mm • TD 1550mm
Table L1600 x W600 x H750mm



GOCAN-0615-6

TW 1600mm • SW 310mm
SH 425mm • BW 1000mm
TD 1550mm
Table L1600 x W600 x H750mm



GOCAN-0415-4

TW 1700mm • SW 405mm
TH 830mm
SH 450mm • BW 1000mm
TD 1070mm
Table L1200 x W600 x H750mm



GOCAN-0115-4

TW 1700mm • SW 430mm
TH 830mm
SH 450mm • BW 1000mm
SD 400mm • TD 1020mm
Table L1200 x W600 x H750mm



GOCAN-0325-4

TW 1680mm • SW 420mm
TH 780mm
SH 450mm • BW 1000mm
SD 445mm • TD 1030mm
Table L1200 x W600 x H750mm



GOCAN-0225-4

TW 1730mm • SW 460mm
TH 790mm
SH 460mm • BW 1000mm
SD 445mm • TD 1030mm
Table L1200 x W600 x H750mm

BENCH



GOBEN-0315-3

TW 1800mm
SH 650mm • BW 600mm
SD 600mm




GOBEN-0215-3

TW 1800mm
SH 450mm • BW 600mm
SD 600mm



GOBEN-0115-3

TW 1800mm
SH 450mm • BW 600mm
SD 600mm



GOGST-1115

TW 720mm • SW 570mm
TH 970mm
SH 400mm • BW 560mm
SD 540mm • AH 260mm



GOGST-1015

TW 810mm • SW 560mm
TH 870mm
SH 460mm • BW 675mm
SD 610mm • AH 240mm



GOGST-0915

TW 840mm • SW 610mm
TH 920mm
SH 450mm • BW 560mm
SD 570mm • AH 150mm



GOGST-0815

TW 720mm • SW 480mm
TH 840mm
SH 450mm • BW 620mm
SD 460mm • AH 200mm



GOGST-0715

TW 1920mm • SW 560mm
TH 785mm
SH 440mm • BW 540mm
SD 555mm • AH 230mm



GOGST-0615

TW 1280mm • SW 560mm
TH 785mm
SH 440mm • BW 540mm
SD 555mm • AH 230mm



GOGST-0515

TW 640mm • SW 560mm
TH 785mm
SH 440mm • BW 540mm
SD 555mm • AH 230mm



GOGST-0415

TW 1820mm • SW 525mm
TH 810mm
SH 350mm • BW 545mm
SD 490mm • AH 330mm



GOGST-0315

TW 1290mm • SW 525mm
TH 810mm
SH 350mm • BW 545mm
SD 490mm • AH 330mm



GOGST-0215

TW 760mm • SW 525mm
TH 810mm
SH 350mm • BW 545mm
SD 490mm • AH 330mm



GOGST-0325

SW 1140mm
TH 1260mm
SH 460mm • BW 700mm
SD 500mm



GOGST-0225

TW 580mm • SW 480mm
TH 755mm
SH 400mm • BW 535mm
SD 500mm



GOGST-0115


SW 580mm
TH 850mm
SH 380mm • BW 770mm
SD 510mm



GOGST-0125

SW 600mm
TH 820mm
SH 380mm • BW 740mm
SD 510mm

CONNECTION



GOCON-DIAMOND

TW 5100mm • TH 760mm
SH 410mm • BW 2530mm
SD 510mm



GOCON-DOUBLE CRESENT

TW 3860mm • TH 760mm
SH 410mm • BW 3860mm
SD 510mm



GOCON-CROSS

TW 4420mm • TH 760mm
SH 410mm • BW 3300mm
SD 510mm



GOCON-ROUND

TW 2210mm • TH 760mm
SH 410mm • BW 1800mm
SD 510mm



GOCON-SQUARE

TW 2060mm • TH 760mm
SH 410mm • BW 2060mm
SD 510mm



GOCON-SNAKE

TW 4390mm • TH 760mm
SH 410mm • BW 2240mm
SD 510mm



GOCON-OVAL

TW 2060mm • TH 760mm
SH 410mm • BW 1500mm
SD 510mm



GOCON-TRIANGLE

TW 2750mm • TH 760mm
SH 410mm • BW 2590mm
SD 510mm



GOCON-L LINE

TW 4300mm • TH 760mm
SH 410mm • BW 2620mm
SD 510mm



GOCON-1225

SW 560mm • TH 760mm
SH 410mm • BW 750mm
SD 510mm



GOCON-1125

SW 45 degree • TH 760mm
SH 410mm • BW 750mm
SD 510mm



GOCON-1025

SW 60 degree • TH 760mm
SH 410mm • BW 750mm
SD 510mm



GOCON-0925

SW 900mm • TH 760mm
SH 410mm • BW 900mm
SD 510mm



GOCON-0825

SW 45 degree • TH 760mm
SH 410mm • BW 750mm
SD 510mm



GOCON-0725

SW 60 degree • TH 760mm
SH 410mm • BW 750mm
SD 510mm



GOCON-0625

SW 900mm • TH 760mm
SH 410mm • BW 900mm
SD 510mm




GOCON-0525

SW 750mm • TH 760mm
SH 410mm • BW 750mm
SD 510mm




GOCON-0425

SW 750mm
SH 410mm • BW 750mm
SD 510mm



GOCON-0325

SW 560mm
SH 410mm • BW 750mm
SD 510mm




GOCON-0225

SW 750mm
SH 410mm • BW 750mm
SD 510mm



GOCON-0125

SW 750mm
SH 410mm • BW 750mm
SD 510mm



GOMUP-0525

TW 1800mm • SW 1480mm
TH 720mm
SH 410mm • BW 650mm
SD 550mm • AH 310mm



GOMUP-0425

TW 1300mm • SW 980mm
TH 720mm
SH 410mm • BW 650mm
SD 550mm • AH 310mm



GOMUP-0325

TW 800mm • SW 480mm
TH 720mm
SH 410mm • BW 650mm
SD 550mm • AH 310mm

GOMUP-0225

TW 650mm • SW 550mm
TH 720mm
SH 410mm • BW 650mm
SD 550mm • AH 310mm



GOMUP-0125-2

SW 1300mm
SH 410mm • BW 650mm

GOMUP-0125

SW 650mm
SH 410mm • BW 650mm



GOMUP-COOKIE

SW 680mm
SH 380mm • BW 680mm

GOMUP-BALL

SW 380mm
SH 380mm • BW 380mm

GOMUP-BEAN


SW 950mm
SH 380mm • BW 380mm
SW 380mm

A modern, minimalist interior featuring a large window with sheer white curtains. A black ergonomic chair with a silver frame and casters is positioned in the foreground. To the left, a potted plant sits in a white vase. The background shows a view of a body of water and greenery. A semi-transparent red rectangle is overlaid on the right side of the image, containing the text "EDUCATIONAL series".

EDUCATIONAL

series

GRACE



GRC-0125T

TW 640mm • SW 465mm
TH 820mm
SH 465mm • BW 510mm
SD 440mm • AH 240mm
Tablet L370 x W280 x H9mm



GRC-0125

TW 540mm • SW 465mm
TH 820mm
SH 465mm • BW 510mm
SD 440mm



GOPBC-0725TB

TW 525mm • SW 455mm
TH 815mm
SH 440mm • BW 470mm
SD 450mm • AH 260mm
Tablet L410 x W330 x H17mm



GOPBC-0725F

SW 455mm
TH 815mm
SH 465mm • BW 470mm
SD 450mm



GOPBC-0625G

SW 470mm
TH 700-800mm
SH 450-550mm • BW 560mm
SD 500mm



GOPBC-0625B

TW 520mm • SW 470mm
TH 780mm
SH 420mm
SD 500mm



GOPBC-0625T

TW 580mm • SW 470mm
TH 790mm • SH 430mm
SD 500mm • AH 260mm
Tablet L370 x W300 x H9mm



GOPBC-0625

TW 510mm • SW 470mm
TH 840mm
SH 440mm • BW 720mm
SD 500mm



GOPBC-0525GA

TW 515mm • SW 460mm
TH 830-895mm
SH 470-535mm • BW 600mm
SD 490mm • AH 220mm



GOPBC-0525

TW 510mm • SW 460mm
TH 815mm
SH 460mm • BW 670mm
SD 490mm



GOPBC-0525TA

TW 570mm • SW 460mm
TH 830mm
SH 470mm • BW 560mm
SD 490mm • AH 260mm
Tablet L370 x W280 x H9mm



GOPBC-0525A

TW 515mm • SW 460mm
TH 830mm
SH 470mm • BW 560mm
SD 490mm • AH 220mm



GOPBC-0225G

SW 460mm
TH 760-880mm
SH 450-570mm • BW 600mm
SD 445mm



GOPBC-0225TB

TW 635mm • SW 460mm
TH 790mm
SH 450mm • BW 530mm
SD 445mm • AH 295mm




GOPBC-0225TF

TW 635mm • SW 460mm
TH 790mm
SH 465mm • BW 530mm
SD 445mm • AH 295mm



GOPBC-0225

TW 575mm • SW 460mm
TH 790mm
SH 450mm • BW 530mm
SD 445mm



GOPBC-0125G

TW 610mm • SW 420mm
TH 745-865mm
SH 460-580mm • BW 600mm
SD 445mm



GOPBC-0125TB

TW 610mm • SW 420mm
TH 775mm
SH 460mm • BW 550mm
SD 445mm
Tablet L400 x W310 x H18mm



GOPBC-0125T

TW 610mm • SW 420mm
TH 775mm
SH 460mm • BW 550mm
SD 445mm
Tablet L400 x W310 x H18mm



GOPBC-0125

TW 530mm • SW 420mm
TH 775mm
SH 460mm • BW 550mm
SD 445mm



GOPBC-1115GF

SW 460mm
TH 820-885mm
SH 445-510mm • BW 600mm
SD 390mm



GOPBC-1115TAF

TW 620mm • SW 460mm
TH 810mm
SH 475mm • BW 490mm
SD 390mm • AH 250mm
Tablet L370 x W280 x H9mm



GOPBC-1115A

TW 570mm • SW 460mm
TH 810mm
SH 460mm • BW 490mm
SD 435mm • AH 200mm



GOPBC-1115F

TW 560mm • SW 460mm
TH 810mm
SH 475mm • BW 490mm
SD 390mm



GOPBC-0415G

W 405mm
TH 805-925mm
SH 425-545mm • BW 600mm
SD 410mm



GOPBC-0415TB

TW 510mm • SW 405mm
TH 825mm
SH 440mm • BW 580mm
SD 410mm • AH 275mm
Tablet L400 x W310 x H18mm



GOPBC-0415T

TW 510mm • SW 405mm
TH 825mm
SH 440mm • BW 580mm
SD 410mm • AH 275mm
Tablet L400 x W310 x H18mm



GOPBC-0415

TW 440mm • SW 405mm
TH 825mm
SH 440mm • BW 580mm
SD 410mm



GOPBC-0115G

SW 430mm
TH 795-915mm
SH 400-520mm • BW 600mm
SD 400mm



GOPBC-0115TB

TW 600mm • SW 430mm
TH 815mm
SH 440mm • BW 550mm
SD 440mm
Tablet L400 x W310 x H18mm



GOPBC-0115T


TW 600mm • SW 430mm
TH 815mm
SH 440mm • BW 550mm
SD 440mm
Tablet L400 x W310 x H18mm



GOPBC-0115



TW 530mm • SW 430mm
TH 815mm
SH 440mm • BW 550mm
SD 400mm

STUDENT



GOSTU-0225

TW 1150mm • SW 500mm
SH 450mm
SD 390mm • AH 290mm
Tablet L1150 x W400 x H16mm



GOSTU-6125G

SW 480mm
TH 780-900mm
SH 455-575mm • BW 660mm
SD 450mm



GOSTU-6125TB

TW 550mm • SW 480mm
TH 780mm
SH 455mm • BW 400mm
SD 450mm • AH 270mm
Tablet L410 x W330 x H17mm



GOSTU-6125T

TW 550mm • SW 480mm
TH 780mm
SH 455mm • BW 400mm
SD 450mm • AH 270mm
Tablet L410 x W330 x H17mm



GOSTU-6125

TW 540mm • SW 480mm
TH 780mm
SH 455mm • BW 400mm
SD 450mm



GOSTU-0125G

TW 540mm • SW 430mm
TH 780-900mm
SH 440-560mm • BW 505mm
SD 535mm



GOSTU-0125TB

TW 540mm • SW 430mm
TH 780mm
SH 440mm • BW 505mm
SD 535mm • AH 270mm
Tablet L410 x W330 x H17mm



GOSTU-0125T

TW 540mm • SW 430mm
TH 780mm
SH 440mm • BW 505mm
SD 535mm • AH 270mm
Tablet L410 x W330 x H17mm



GOSTU-0125

TW 480mm • SW 430mm
TH 780mm
SH 440mm • BW 505mm
SD 535mm

CHILDREN



GOCHR-0315

TW 450mm • SW 400mm
TH 880mm
SH 450mm • BW 450mm
SD 410mm
Tablet L370 x W300 x H18mm



GOCHR-0125

TW 450mm • SW 400mm
TH 660mm
SH 355mm • BW 500mm
SD 330mm



GOCHR-0215

TW 400mm • SW 350mm
TH 590mm
SH 320mm • BW 390mm
SD 320mm




GOCHR-0115

SW 370mm
TH 460mm
SH 280mm • BW 340mm
SD 270mm

SOFA

series





GOSOF-1626-5L

TW 3000mm • SW 3700mm
TH 800-900mm
SH 420mm • BW 940mm
SD 570mm • AH 240mm
Stool L580 x W580 x H420mm



GOSOF-1526-4L

TW 3150mm • SW 2850mm
TH 800-900mm
SH 420mm • BW 900/1700mm
SD 570-770/1370mm • AH 200mm



GOSOF-1426-3L

TW 3150mm • SW 2850mm
TH 800-900mm
SH 420mm • BW 900/1700mm
SD 570-770/1370mm • AH 200mm



GOSOF-1326-3

TW 1920mm • SW 1820mm
TH 1270mm
SH 410mm • BW 700mm
SD 580mm



GOSOF-1226-3 (SOFA BED)

SW 1900mm
TH 420-880mm
SH 420mm • BW 1000mm
SD 570-1140mm




GOSOF-1126-4

TW 2350mm • SW 2100mm
TH 850mm
SH 410mm • BW 800mm
SD 600mm • AH 240mm



GOSOF-1126

TW 700mm • SW 650mm
TH 850mm
SH 410mm • BW 800mm
SD 600mm • AH 240mm



GOSOF-1026

TW 610mm • SW 555mm
TH 730mm
SH 440mm • BW 750mm
SD 510mm • AH 210mm

GOSOF-1026-3

TW 1720mm • SW 1665mm
TH 730mm
SH 440mm • BW 750mm
SD 510mm • AH 210mm

GOSOF-1026

TW 610mm • SW 555mm
TH 730mm
SH 440mm • BW 750mm
SD 510mm • AH 210mm



GOSOF-0926

TW 890mm • SW 510mm
TH 770mm
SH 410mm • BW 1000mm
SD 570mm • AH 240mm

GOSOF-0926-3

TW 2900mm • SW 510mm
TH 770mm
SH 410mm • BW 1000mm
SD 570mm • AH 240mm

GOSOF-0926-2

TW 1900mm • SW 510mm
TH 770mm
SH 410mm • BW 1000mm
SD 570mm • AH 240mm



GOSOF-0826-3

TW 210mm • SW 510mm
TH 690mm
SH 410mm • BW 860mm
SD 570mm • AH 280mm



GOSOF-0826-2

TW 1590mm • SW 510mm
TH 690mm
SH 410mm • BW 860mm
SD 570mm • AH 280mm



GOSOF-0826

TW 1080mm • SW 510mm
TH 690mm
SH 410mm • BW 860mm
SD 570mm • AH 280mm



GOSOF-0726-3

TW 1720mm • SW 1500mm
TH 810mm
SH 410mm • BW 660mm
SD 470mm • AH 330mm




GOSOF-0726-2

TW 1220mm • SW 1000mm
TH 810mm
SH 410mm • BW 600mm
SD 470mm • AH 330mm



GOSOF-0726

TW 720mm • SW 500mm
TH 810mm
SH 410mm • BW 660mm
SD 470mm • AH 300mm



GOSOF-0626-3

TW 1940mm • SW 1550mm
TH 680mm
SH 380mm • BW 810mm
SD 530mm • AH 300mm



GOSOF-0626-2

TW 1420mm • SW 1030mm
TH 680mm
SH 380mm • BW 810mm
SD 530mm • AH 300mm



GOSOF-0626

TW 900mm • SW 510mm
TH 680mm
SH 380mm • BW 810mm
SD 530mm • AH 300mm



GOSOF-0526-3

TW 1870mm • SW 1600mm
TH 760mm
SH 410mm • BW 800mm
SD 580mm • AH 240mm



GOSOF-0526-2

TW 1340mm • SW 1070mm
TH 760mm
SH 410mm • BW 800mm
SD 580mm • AH 240mm



GOSOF-0526

TW 810mm • SW 530mm
TH 760mm
SH 410mm • BW 800mm
SD 580mm • AH 240mm



GOSOF-0426-3

TW 1895mm • SW 1650mm
TH 860mm
SH 410mm • BW 810mm
SD 580mm • AH 240mm



GOSOF-0426-2

TW 1340mm • SW 1095mm
TH 860mm
SH 410mm • BW 810mm
SD 580mm • AH 240mm



GOSOF-0426

TW 810mm • SW 565mm
TH 860mm
SH 410mm • BW 810mm
SD 580mm • AH 240mm



GOSOF-0326-3

TW 1940mm • SW 1550mm
TH 760mm
SH 410mm • BW 790mm
SD 580mm • AH 240mm




GOSOF-0326-2

TW 1420mm • SW 1030mm
TH 760mm
SH 410mm • BW 790mm
SD 580mm • AH 240mm



GOSOF-0326

TW 900mm • SW 510mm
TH 760mm
SH 410mm • BW 790mm
SD 580mm • AH 240mm



GOSOF-0226-3

TW 1970mm • SW 1590mm
TH 710mm
SH 410mm • BW 830mm
SD 570mm • AH 300mm



GOSOF-0226-2

TW 1440mm • SW 1060mm
TH 710mm
SH 410mm • BW 830mm
SD 570mm • AH 300mm



GOSOF-0226

TW 920mm • SW 540mm
TH 710mm
SH 410mm • BW 830mm
SD 570mm • AH 300mm



GOSOF-0126-3

TW 1710mm • SW 1500mm
TH 840mm
SH 420mm • BW 620mm
SD 470mm • AH 240mm



GOSOF-0126-2

TW 1210mm • SW 1000mm
TH 840mm
SH 420mm • BW 620mm
SD 470mm • AH 240mm



GOSOF-0126

TW 710mm • SW 500mm
TH 840mm
SH 420mm • BW 620mm
SD 470mm • AH 240mm

RECLINER



GOREC-0116

SW 680mm
TH 1100mm
SH 430mm • BW 1810mm
SD 1500mm



GOREC-0526

TW 1700mm • SW 1300mm
TH 790mm
SH 460mm • BW 840mm
SD 660mm • AH 180mm



GOREC-0426

TW 760mm • SW 630mm
TH 1010mm
SH 500mm • BW 860mm
SD 550mm
Stool L630 x W550 x H500mm



GOREC-0326

TW 940mm • SW 610mm
TH 1070mm
SH 450mm • BW 840mm
SD 540-990mm • AH 200mm



GOREC-0226

TW 790mm • SW 650mm
TH 910mm
SH 510mm • BW 700mm
SD 520mm • AH 200mm
Stool L650 x W560 x H520mm



GOREC-0126

SW 750mm
TH 840mm
SH 420mm • BW 800mm
SD 500mm
Stool L620 x W620 x H450mm